



Green Building Reference Guide

Description	Weld-On Solvent Cement Contribution
<p>Low Emitting Materials – Use of building materials that meet the VOC guidelines for Indoor Environmental Quality (LEED IEQ Credit 4.1)</p>	<p>Weld-On solvent cements can assist in earning LEED credit in complying with LEED v4.* In addition, for wet applied product Weld-On solvent cements comply with South Coast Air Quality Management District (SCAQMD) Rule 1168:</p> <ul style="list-style-type: none"> • PVC 510g/L or less • CPVC 490g/L or less • ABS 325g/L or less • Primer 550g/L or less <p>LEED v4 LEED 2009</p>
<p>Building Product Disclosure and Optimization – Recycled Content - Use of products with recycled content. (LEED MR Credit 4)</p>	<p>Weld-On products currently do not have recycled content.</p> <ul style="list-style-type: none"> • Post-Consumer: 0% • Pre-Consumer: 0%
<p>PBT Source Reduction – Lead, Cadmium, Copper. Reduce the release of Persistent Bioaccumulative and Toxic (PBTs) chemicals associated with building materials</p>	<p>Weld-On solvent cements do not contain lead, cadmium and copper.</p>
<p>Red List Content - Any red list materials as defined by the Living Building Challenge (LBC)</p>	<p>Weld-On solvent cements contain polyvinyl chloride, which is on the Living Building Challenge (LBC) red list.</p>
<p>Conflict Mineral Material – Any material from the product sourced from the Democratic Republic of Congo (DRC) or its surroundings.</p>	<p>Weld-On solvent cements do not contain any raw material sourced from the Democratic Republic of Congo (DRC) or its surroundings.</p> <p>Weld-On Certification: Conflict Materials</p>
<p>Restriction of Hazardous Substances (RoHS)</p>	<p>Weld-On solvent cements do not use any restricted hazardous materials mandated by RoHS.</p> <p>Weld-On Products and European RoHS</p>
<p>Manufacturing location. Product sourced within 100 miles of the project site may contribute to LEED credit. (LEED MR Credit 5)</p>	<p>All Weld-On solvent cements are manufactured in Gardena, CA</p>

*Please contact Tech Support at 1-877-477-8327 for further information.

